



About RR Global

RR Global, a USD 1.25 billion conglomerate has moulded its success on innovation. Since the foundation of the brand, its architects opted that innovation is the key to success of every product in the brand. It was a really courageous decision because at that point in time categories like wires and cables were highly commoditized. This optimistic development led to the creation of a brand - RR Kabel, a name which is admired worldwide with existence over 90+ countries across the globe.

Presently the company is ranked amongst the top three retail wire manufacturers across the nation. It is also the largest consumer of copper in India, an achievement which no one would have imagined a cable and wire company to be capable of and that is the reason they are preferred by clients who are some of the largest copper manufacturer in the country.

RR Global takes honour in establishing 9 companies and global offices, primarily in the U.A.E and Bangladesh. In their endeavour to set international benchmarks, RR Kabel has received 19 international accreditations. They are the first in India to have BASEC (U.K.), UL (U.S.A.), VDE (Germany), among others for its wide range of cables including ISO 50001 and ISO 14001.

Across the course of four decades, their impulse towards innovation to achieve success and hard work steered them to earn phenomenal recognition with RR Kabel becoming the desired choice for wires and cables not only in India but also on a global platform.

RR Global India focusses on cutting edge technology and research to enhance efficiency, reliability, and safe conduction of electricity. This in turn supported the core of the company's engineering endeavour which is to guarantee safe environments everywhere- offices, commercial spaces, industrial plants, and residences.







With our innovative technology integrated with an aesthetically pleasing center piece of your home - Fan, you can now dress your home the way you like it. We are largely inspired by innovation and technology.

It is the simplest of innovations that take the most amount of effort. To bring something new at the bottom of the pyramid is a tough task to achieve.

We are constantly striving to bring forth something exciting and edgy yet something that our customers will be delighted to embrace.

INTRODUCING

GREENTECH

POWER SAVING CALCULATIONS

Conventional Fan	Conventional Fan	3 Star	BLDC 5 Star
Power Consumption (Watt)	75	44	28
Per Day Consumption (Hrs)	16	16	16
KWH Units Consumed per day	1.2	0.7	0.4
(Watt * Hrs / 1000)			
Per Unit Electricity Cost (KWH)	6.5	6.5	6.5
Annual Electricity Consumption (₹)	2847	1670	1063
Annual Saving Per Fan		1177	1784

WHY IS THIS PACKAGING GREEN ?

Don't Use

- Thermocol
- Non Biodegradable Plastic
- Regular ink
- Rubber band

We Use

- Pulp Tray
- Biodegradable Plastic
- Biodegradable Ink
- Cotton Thread





GREEN TECHNOLOGY

Powered by the Green BLDC technology, Luminous range of 5 star rated fans are a perfect blend of aesthetics and functionality. With their superior design and state-of-the-art performance they are truly what a home deserves.

HIGH VÖLTAGE ALARM















when voltage goes

above 350 V.



370 V

HI-VOLTAGE



Automatically restarts the fan when voltage goes below 300 V.



















Illuminating the air



- 1200 mm (48)
- 35 Watt
- 230 CMM
- 320 RPM





















PRISTINE WHITE

- 1200 mm (48)
- 35 Watt
- 240 CMM
- 320 RPM
- 50 db









- 1200 mm (48)
- 35 Watt
- 235 CMM
- 370 RPM







Hi-Speed













SUMAIRE





RUSTIC COPPER

- 1200 mm (48)
- 35 Watt
- 220 CMM
- 350 RPM



























CHAMPAGNE GOLD

- 1200 mm (48)
- 30 Watt
- 235 CMM
- 350 RPM















- 1200 mm (48)
- 28 Watt
- 225 CMM
- 350 RPM













EffAire



- 1200 mm (48)
- 30 Watt
- 220 CMM
- 360 RPM















- 1200 mm (48)
- 32 Watt
- 215 CMM
- 350 RPM













- 1200 mm (48)
- 28 Watt
- 215 CMM
- 350 RPM





Hi Voltage Alarm









EnergiTech Plus



CEDAR BROWN

- 1200 mm (48)
- 35 Watt
- 225 CMM
- 350 RPM





Hi Voltage Alarm





EnergiTech



- 1200 mm (48)
- 35 Watt
- 210 CMM
- 350 RPM













Signature collection A world of aesthetics in your home.

It's from all over the world. It's out of the world. The spectacular Signature Collection of ceiling fans brings an international ambience to your doorstep. Get ready to welcome the world to your home with these fans that embody the finest experiences of some of the most charismatic cities across the globe. It's time to indulge. It's time to give your home a new personality.







NEW YORK

A rare blend of modernism and flair that comes through in this theme inspired by the city that never sleeps.

RIO

The vibrant, eclectic city of Rio comes alive in this range that truly symbolize its pulsating energy in every way.

LONDON

Classical elegance embodying the aristocratic heritage of London, making them a truly royal addition to your home.

JAIPUR

The range reflects rich history and culture of the majestic city of Jaipur.















PRISTINE WHITE



- 1200 mm (48)
- 35 Watt
- 240 CMM
- 320 RPM
- 50 dB



















ALICE WHITE

- 1200 mm (48)
- 48 Watt
- 240 CMM
- 320 RPM
- 50 dB




















- 1200 mm (48)
- 80 Watt with Light
- 230 CMM
- 350 RPM























IR Remote

- 1200 mm (48)
- 32 Watt
- 230 CMM
- 350 RPM















ALE BROWN

ALICE WHITE

- 900 mm (36)
- 45 Watt
- 140 CMM
- 450 RPM
- 1200 mm (48)
- 57 Watt
- 230 CMM
- 350 RPM











- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 56 Watt
- 230 CMM
- 350 RPM
- 1400 mm (56)
- 59 Watt
- 245 CMM
- 300 RPM









Brooklyn











- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 56 Watt
- 230 CMM
- 350 RPM
- 1400 mm (56)
- 59 Watt
- 245 CMM
- 300 RPM













AGARIA WHITE



ROSE GOLD

THAR GOLD

TAN BROWN

- 1320 mm (52)
- 78 Watt
- 230 CMM
- 320 RPM





THE REAL PROPERTY AND THE PERSON NAMED IN COLUMN TWO



- 1200 mm (48)
- 47 Watt
- 235 CMM
- 350 RPM









CHILDREN WITH THE SECOND SECOND

MAKRANA WHITE





- 47 Watt
- 235 CMM
- 350 RPM











AGARIA WHITE







ABU BLACK

- 1200 mm (48)
- 56 Watt
- 230 CMM
- 350 RPM





















- 1200 mm (48)
- 47 Watt
- 235 CMM
- 350 RPM













41

















- 18 W LED
- 95 W With Light



















- 45 Watt
- 225 CMM
- 350 RPM















- 1200 mm (48)
- 47 Watt
- 235 CMM
- 350 RPM













Propelaire



- 1200 mm (48)
- 47 Watt
- 235 CMM
- 350 RPM













CHROME WHITE



- 57 Watt
- 230 CMM
- 350 RPM





TUSCAN RED













- 1200 mm (48)
- 56 Watt
- 230 CMM
- 350 RPM

























- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 50 Watt
- 225 CMM
- 380 RPM



HI-Spee







Hi-Air Delivery

*900mm & 1400mm are available in BEE 1 Star rated & Truffle Brown colour only.





Standard Range

- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 50 Watt
- 225 CMM
- 380 RPM
- 1400 mm (56)
- 59 Watt
- 245 CMM
- 300 RPM









Hi-Air Delivery

*900mm & 1400mm are available in BEE 1 Star rated & Mirage White colour only.





CHOCOLATE BROWN

ROSE GOLD

VENETIAN GREY

AMBER GOLD

- 1200 mm (48)
- 56 Watt
- 225 CMM
- 400 RPM







Super Hi-Speed 400 RPM



- 1200 mm (48)
- 50 Watt
- 225 CMM
- 380 RPM













- 70 Watt
- 120 CMM
- 820 RPM





WHITE









CEDAR BROWN



MINT WHITE



- 44 Watt
- 220 CMM
- 370 RPM















- 1200 mm (48)
- 55 Watt
- 220 CMM
- 400 RPM















MATT BLACK COPPER

ALE BROWN

VENETIAN GREY

- 1200 mm (48)
- 55 Watt
- 220 CMM
- 400 RPM

















- 78 Watt
- 110 CMM
- 820 RPM
- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 55 Watt
- 220 CMM
- 400 RPM
- 1400 mm (56)
- 58 Watt
- 245 CMM
- 300 RPM











1400mm is available in Cherry Red colour only. *900mm & 1400mm are BEE 1 Star rated.









HONEY GOLD

- 1200 mm (48)
- 52 Watt
- 210 CMM
- 380 RPM











HONEY GOLD

CHERRY RED

- 1200 mm (48)
- 44 Watt
- 220 CMM
- 370 RPM











- 1200 mm (48)
- 54 Watt
- 220 CMM
- 415 RPM







- 600 mm (24)
- 78 Watt
- 110 CMM
- 820 RPM
- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 55 Watt
- 220 CMM
- 400 RPM
- 1400 mm (56)
- 58 Watt
- 245 CMM
- 300 RPM







SUper Hi-Speed 400 RPM (1200mm)

*900mm & 1400mm are BEE 1 Star rated.







- 600 mm (24)
- 78 Watt
- 110 CMM
- 820 RPM
- 900 mm (36)
- 45 Watt
- 140 CMM
- 460 RPM
- 1200 mm (48)
- 55 Watt
- 220 CMM
- 400 RPM
- 1400 mm (56)
- 58 Watt
- 245 CMM
- 300 RPM







SUper Hi-Speed 400 RPM (1200mm)

*900mm & 1400mm are BEE 1 Star rated.







ViRRatAire'

High Breeze Oscillating Fan

- 450 mm (18)
- 105 Watt
- 105 CMM
- 1400 RPM











- 500 mm (20)
- 145 Watt
- 130 CMM
- 1400 RPM



Oscillating Fan







Consumes Less Power













- 500 mm (20)
- 145 Watt
- 130 CMM
- 1400 RPM























- 110 Watt
- 120 CMM
- 2200 RPM











Hi-Speed (2200 RPM)

Strong Motor










KATANA





- 400 mm (16)
- 60 Watt
- 90 CMM
- 1350 RPM

















PENT\$S





- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM



SPEED:-





- 400 mm (16)
- 120 Watt
- 100 CMM
- 2300 RPM







Strong Motor




Thermal Overload Electric Switch Protection Oscillation



erodynamic Blade









• 300 mm (12)

• 75 Watt

• 65 CMM

• 2500 RPM







Strong Motor



Thermal Overload Electric Switch Protection



Oscillation



Aerodynamic Blade

300mm Wall available in White colour only.







- 400 mm (16)
- 130 Watt
- 100 CMM
- 2100 RPM















Hi-Speed (2100 RPM)

Aerodynamic Blade











- 400 mm (16)
- 130 Watt
- 100 CMM
- 2100 RPM



Hi-Speed (2100 RPM)









Thermal Overload Hi Air Throw Protection

83

Mojo Plus The New High







- 300 mm (12)
- 75 Watt
- 60 CMM
- 2100 RPM (Wall)
- 400 mm (16)
- 130 Watt
- 100 CMM
- 2100 RPM









Hi-Speed (2100 RPM)

Thermal Overload Protection



Speed



- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM








Strong Motor Thermal Overload Protection




Speed











- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM











- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM



Heavy Base (Pedestal Fan)



Hi Air Throw



Strong Motor



Thermal Overload Protection



Easy tilting Mechanism (Wall Fan)




Aerodynamic PP Blade













- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM







Strong Motor





Easy Tilting Mechanism (Wall Fan) Thermal Overload Protection





Aerodynamic PP Blade





WHITE

- 400 mm (16)
- 55 Watt
- 75 CMM
- 1350 RPM









Thermal Overload Protection



Mechanism for neck tilting



Aerodynamic PP Blade







PRISTINE WHITE

- 300 mm (12)
- 80 Watt
- 58 CMM
- 2100 RPM















- 230 mm (9)
- 45 Watt
- 30 CMM
- 2800 RPM













- 230 mm (16)
- 45 Watt
- 30 CMM
- 2400 RPM













- 230 mm (9)
- 40 Watt
- 850 CMH
- 1350 RPM
- 300 mm (12)
- 70 Watt
- 1750 CMH
- 1350 RPM

SWEEP	230 mm	300 mm
CUT OUT SIZE	Circle Diameter	Circle Diameter
	275 mm	345 mm











SWEEP	230 mm
CUT OUT SIZE	Circle Diameter
	275 mm

- 230 mm (9)
- 40 Watt
- 750 CMH
- 1350 RPM







SWEEP 150 mm 230 mm

CUT OUT SIZE Circle Diameter 190 mm 275 mm

- 150 mm (6)
- 40 Watt
- 850 CMH
- 2650 RPM
- 230 mm (9)
- 55 Watt
- 1050 CMH
- 2600 RPM











• 40 Watt

• 230 mm (9)

- 750 CMH
- 1350 RPM
- 300 mm (12)
- 50 Watt
- 1300 CMH
- 1350 RPM

SWEEP	230 mm	300 mm
CUT OUT SIZE	Circle Diameter	Circle Diameter
	275 mm	345 mm





SWEEP 230 mm 300 mm

CUT OUT SIZE Circle Diameter 275 mm 345 mm

- 230 mm (9)
- 40 Watt
- 750 CMH
- 1350 RPM
- 300 mm (12)
- 50 Watt
- 1300 CMH
- 1350 RPM









- 150 mm (8)
- 30 Watt
- 250 CMH
- 1350 RPM

SWEEP	150 mm
CUT OUT SIZE	Sq. 177x177 mm



Vento DELUXE HS



WHITE



BLACK

- 150 mm (6)
- 40 Watt
- 510 CMH
- 2500 RPM
- 200 mm (8)
- 60 Watt
- 950 CMH
- 2100 RPM

SWEEP	150 mm	200 mm
CUT OUT SIZE	Sq. 192x192 mm	Sq. 242x242 mm











WHITE



BLACK



MARBLE BROWN



MARBLE BEIGE

 SWEEP
 150 mm
 200 mm
 250 mm

 CUT OUT SIZE
 Sq. 192x192 mm
 Sq. 242x242 mm
 Sq. 293x293 mm

- 150 mm (6)
- 30 Watt
- 250 CMH
- 1350 RPM
- 200 mm (8)
- 35 Watt
- 490 CMH
- 1350 RPM
- 250 mm (10)
- 40 Watt
- 720 CMH
- 1300 RPM
- * Marble beige available in 150mm & 200 mm



Vento



WOODEN



WHITE



METALLIC

SWEEP 100 mm 150 mm

CUT OUT SIZE Circle Diameter 1111 mm 147 mm

- 100 mm (4)
- 18 Watt
- 100 CMH
- 2500 RPM
- 150 mm (6)
- 22 Watt
- 250 CMH
- 1800 RPM









signature

- 100 mm (4)
- 18 Watt
- 105 CMH
- 2200 RPM
- 150 mm (6)
- 22 Watt
- 240 CMH
- 2000 RPM
- 175 mm (8)
- 25 Watt
- 350 CMH
- 2000 RPM

SWEEP	100 mm	150 mm	175 mm
CUT OUT SIZE	Circle Diameter	Circle Diameter	Circle Diameter
	111 mm	147 mm	180 mm



Selection Criteria and Recommended Minimum Fresh Air Supply Selection Criteria

Applications	No. of Air Changes/Hour
Residences, Storage Areas	1 2
Libraries, Class Rooms	2 - 4
Assembly Halls, Labs	4 - 6
Lavatories, Bars, Hospital Wards	6 - 8
Theatres, Workshops, Garages	6 - 10
Cafes, Canteens	8 - 12
Restaurants, Laundries	10 - 15
Bakeries, Canteen Kitchens	15 - 30
Boiler Houses, Engine Rooms	15 - 30
Foundaries & Furnace Rooms	30 - 60

For large hall, Auditoriums, Offices, Install two or more ceiling fans with a space as specified below

Sweep of fan	Center Distance
900 mm (36)	6 feet (1.82 mtrs. approx)
1050 mm (42)	7 feet (2.13 mtrs. approx)
1200 mm (48)	8 feet (2.43 mtrs. approx)
1400 mm (56)	10 feet (3 mtrs. approx)

General Guidelines for Ceiling Fans & Domestic Exhaust Fans

The referred Indian Standard is I S 374:2019 (Specifications for Electric
Ceiling Type Fans) with all amendments, as applicable.

Star Rating	900 mm & 1050mm SERVICE VALUE	1200 mm, 1400 mm & 1500 mm SERVICE VALUE
1Star	>=3.1 to < 3.6	>=4.0 to < 4.5
2 Star	>=3.6 to < 4.1	>=4.5 to < 5.0
3 Star	>=4.1 to < 4.6	>=5.0 to < 5.5
4 Star	>=4.6 to < 5.1	>=5.5 to < 6.0
5 Star	>=5.1	>=6.0

	Minimum Performance Value of Fans		
S. No	Fan Size(mm)	Air Delivery (CMM)	Service Value
1	900	130	3.1
2	1050	150	3.1
3	1200	210	4
4	1400	245	4.1
5	1500	270	4.3

Model Size	Sweep (MM)	Suitable for Room Size
Ceiling Fan	600 mm (24)	For Small Shops, Cabins & Toilets
Ceiling Fan	900 mm (36)	7 x 10 feet (2.13 x 3 mtrs. approx)
Ceiling Fan	1050 mm (42)	10 x 10 feet (3 x 3 mtrs. approx)
Ceiling Fan	1200 mm (48)	12 x 13 feet (3.65 x 3.96 mtrs. approx)
Ceiling Fan	1400 mm (56)	14 x 16 feet (4.26 x 4.87 mtrs. approx)
Domestic Exhaust Fan	150 mm (6) & 200 mm (8)	6 x 6 x 9 feet (1.82 x 1.82 x 2.74 mtrs. approx)
Domestic Exhaust Fan	225 mm (8.8)	8 x 8 x 9 feet (2.43 x 2.43 x 2.74 mtrs. approx)
Domestic Exhaust Fan	300 mm (12)	10 x 8 x 9 feet (3 x 2 43 x 2 74 mtrs approx)





We manufactures world-class products with its behind the scenes state-of-the-art infrastructure. There are various areas of in-house expertise, which ensure top-notch quality and flawless output.















RR KABEL LIMITED

Corp. Office: Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat Regd. Office: Ram Ratna House, Oasis Complex, P.B. Marg, Worli Mumbai - 400 013, Maharastra Toll Free No.:- 1800 203 2676, Email: customercare@rrglobal.com

"Photographs of the Products shown above are indicative only. Owning to continuous innovation and improvements, actual product may vary in design, description, colors and color combinations from one shown herein. Care has been taken to ensure that information contained herein is correct and updated from time to time.

Luminous Power Technologies Private Limited, however, takes no responsibility of the variations and reserves its right to make changes in the data/details, without any prior intimation or notice."